

CHOOSE BETWEEN
4-CYLINDER DIESEL
ENGINE AND LPG



PROFESSIONAL CLEANING THAT
WON'T LET YOU DOWN –
EVER



NOW YOU CAN SWEEP UP TO A TWO METRE PATH IN ONE GO

PERFORMANCE AND
RELIABILITY WITH A
CLEAN CONSCIENCE

The Nilfisk SW8000 puts you in the driver's seat of the most advanced and innovative industrial class ride-on sweepers. With its extraordinary 2 metre wide sweeping path, the SW8000 lets you sweep and clean large areas, such as car parks, warehouses and factory floors, taking only a fraction of the time it takes a conventional sweeper.

The innovative DustGuard™ misting system lets you efficiently control any dust on your way leaving a cleaner environment. The SW8000 is designed with attention to detail such as better safety features, easier operator control and simple maintenance functions which provide better performance, reliability and a lower total cost of cleaning.

- The unique DustGuard™ feature with misting nozzles sprays a fine fog of moisture to the front and side brooms, effectively controlling airborne dust for a cleaner environment.
- The main broom 1.3 metre sweeping path is the widest in the industry, providing better performance and faster cleaning. With side brooms the total cleaning width of SW8000 is 2 metres
- The strong polyethylene covers offer a high driving protection and even absorbing bumps. At the same time, they are fully recyclable in line with Nilfisk's environmental-awareness policy.
- The huge and comfortable operator compartment ensures user comfort. One-Touch™ control and a clear view of the working zone gives a better cleaning result with greater safety.




The exclusive DustGuard™ system effectively controls airborne dust by providing a fine mist of moisture to the front and side brushes.



Operation of the SW8000 could not be easier. One-Touch™ control shortens operator-training time and improves the cleaning result.



The large wheels give a smoother ride.



The Nilfisk NoTools™ system makes service extremely easy. The 5-sided access to engine and hydraulic components saves you valuable time and keeps down the service cost.



The SW8000 has a superb high-dump capability up to 152 cm from ground level for easy and convenient emptying.

RELIABILITY IS ALSO OUR MANTRA WHEN IT COMES TO SERVICE

A Nilfisk machine functions optimally when cared for by regular service and maintenance visits. Therefore we have created the optimal service solution: four levels of service reflecting different requirements.

SERVICE OPTIONS

Full Service + Contract

Labour
Travel
Spares (not consumables)
Wear parts
4 visits (min)
24 hour response time

Full Service Contract

labour
Travel
Spares (not consumables)
4 visits (min)
24 our response time

Standard Contract

Labour
Travel
2 visits (min)
48 hour response time

Bespoke Contracts

Individually tailored for specific markets eg contract cleaning.

Corrosion resistant hopper has extra-high dumping capability while the integrated bumper protects against machine damage.

UltraWeb™ dust filter captures even microscopic particles and is cleaned automatically. The long lasting pocket filter solution is also available.

The DustGuard™ dust suppression system includes an integrated 53-litre water tank to provide an effective misting as the brooms are activated.



Large operator compartment is ergonomically designed with Clear-View™ visibility for extra safety.

Rust-free polyethylene covers provide excellent machine protection. They are easily removed without tools to simplify maintenance.

1.3 metre main broom working width plus dual side brooms create an unprecedented 2-metre wide cleaning path..

TECHNICAL SPECIFICATIONS

Description	Unit	SW8000 LPG	SW8000 D
Motor brand	W	Kubota WG1605	Kubota V1505D
Productivity rate 1 side broom theoretical/ actual	m ² /h	23925/16750	23925/16750
Working width with mainbroom	mm	1300	1300
Working width with right side broom	mm	1650	1650
Working width with 2 side brooms	mm	2000	2000
Min. turn-around aisle width	cm	277	277
Max. dumping height	cm	152	152
Main filter area	m ²	9	9
Length x width x height	cm	224x163x150	224x163x150
Weight	kg	1395	1395
Item No.		56107512	56107513

Specifications and details are subject to change without prior notice.