

## High cleaning performance and heating effect combined with long lifetime and robustness

The versatile MH 5M combines low running costs, high performance, ease of use, low noise and great cleaning efficiency. The award winning design is easy to use and service. The flow-activated control system contributes to even more comfortable use of the machine and assures durability and reliability. The EcoPower boiler system offers > 92% efficiency for significantly reduced fuel consumption and lower running costs.

- EcoPower boiler with > 92% efficiency for reduced fuel costs
- Flow-activated control system for additional comfort in use
- 1450 RPM motor
- NA5H pump with 3 ceramic pistons
- Easy to use control panel
- Ergo 2000 accessory concept
- Includes BA Valve backflow preventor
- Steel frame and chassis
- Quick service concept reduces maintenance costs
- Optimal machine protection against low fuel, low pump oil. Includes flame sensor and exhaust gas temperature sensor.
- Diagnostics system
- 2 way chemical dosing system with automatic flush system
- Max. Inlet temperature 40°C



Picture shown may not represent model quoted

The MH 5M series offers high cleaning efficiency and low running costs via optimal cleaning and heating performance. It is the ideal hot water unit for medium duty and regular cleaning tasks in customer segments such as automotive and transport, farming and industry.

• Standard equipment

Included accessories		Ref. no.	Min. required	MH 5M-190/960 400/3/50 EU	MH 5M-190/960 X 400/3/50 EU	MH 5M-210/1110 400/3/50 EU
<b>Ergo System Coupling and Adapter</b>						
	ERGO COUPLING KIT	101119496	1	•	•	•
<b>High Pressure Male Coupling</b>						
	LP NIPPLE F. Q.-COUPLING 3/4IN	1600659	1			
<b>High Pressure Female Coupling</b>						
	HOSE NOZZLE 20R3/4	61369	1	•	•	•
	QUICK COUPLING 3/4 W/GASKET	1602945	1			
<b>High Pressure Hose, DN8</b>						

High cleaning performance and heating effect combined with long lifetime and robustness

Included accessories		Ref. no.	Min. required	MH 5M-190/960 400/3/50 EU	MH 5M-190/960 X 400/3/50 EU	MH 5M-210/1110 400/3/50 EU
	HOSE DN8 1 WIRE 10M W.ERGO FEMALE COUPL.	101405770	1	•		•
	HOSE DN8 1 WIRE 20M W.ERGO FEMALE COUPL.	301001101	1		•	
<b>Spray Gun</b>						
	ERGO 2000 STANDARD W. HOSE SWIVEL	106403122	1	•	•	•
<b>Tornado Lance</b>						
	TORNADO PLUS 1120 BEND W/O NOZZLE	106403010	1	•	•	•
<b>Tornado Nozzle with Indication Ring</b>						
	NOZZLE 0500 INDICATION RING YELLOW	101119741	1	•	•	
	NOZZLE 0550 INDICATION RING NEONGREEN	101119743	1			•

• Standard equipment

Included accessories		Ref. no.	Min. required	MH 5M-210/1110 X 400/3/50 EU	MH 5M-210/1110 230-400/3/50 NO	MH 5M-210/1110 X 230-400/3/50 NO
<b>Ergo System Coupling and Adapter</b>						
	ERGO COUPLING KIT	101119496	1	•	•	•
<b>High Pressure Male Coupling</b>						
	LP NIPPLE F. Q.-COUPLING 3/4IN	1600659	1			
<b>High Pressure Female Coupling</b>						



High cleaning performance and heating effect combined with long lifetime and robustness

Included accessories		Ref. no.	Min. required	MH 5M-210/1110 X 400/3/50 EU	MH 5M-210/1110 230-400/3/50 NO	MH 5M-210/1110 X 230-400/3/50 NO
	HOSE NOZZLE 20R3/4	61369	1	•	•	•
	QUICK COUPLING 3/4 W/GASKET	1602945	1			
<b>High Pressure Hose, DN8</b>						
	HOSE DN8 1 WIRE 10M W.ERGO FEMALE COUPL.	101405770	1		•	
	HOSE DN8 1 WIRE 20M W.ERGO FEMALE COUPL.	301001101	1	•		•
<b>Spray Gun</b>						
	ERGO 2000 STANDARD W. HOSE SWIVEL	106403122	1	•	•	•
<b>Tornado Lance</b>						
	TORNADO PLUS 1120 BEND W/O NOZZLE	106403010	1	•	•	•
<b>Tornado Nozzle with Indication Ring</b>						
	NOZZLE 0500 INDICATION RING YELLOW	101119741	1			
	NOZZLE 0550 INDICATION RING NEONGREEN	101119743	1	•	•	•

• Standard equipment

Included accessories		Ref. no.	Min. required	MH 5M-210/1110 220-440/3/60 EXPT	MH 5M-170/910 200/3/50 JP	MH 5M-170/910 200/3/60 JP
<b>Ergo System Coupling and Adapter</b>						
	ERGO COUPLING KIT	101119496	1	•	•	•



High cleaning performance and heating effect combined with long lifetime and robustness

Included accessories	Ref. no.	Min. required	MH 5M-210/1110 220-440/3/60 EXPT	MH 5M-170/910 200/3/50 JP	MH 5M-170/910 200/3/60 JP
<b>High Pressure Male Coupling</b>					
	LP NIPPLE F. Q.-COUPLING 3/4IN	1600659	1	•	•
<b>High Pressure Female Coupling</b>					
	HOSE NOZZLE 20R3/4	61369	1	•	
	QUICK COUPLING 3/4 W/GASKET	1602945	1	•	•
<b>High Pressure Hose, DN8</b>					
	HOSE DN8 1 WIRE 10M W.ERGO FEMALE COUPL.	101405770	1	•	•
	HOSE DN8 1 WIRE 20M W.ERGO FEMALE COUPL.	301001101	1		
<b>Spray Gun</b>					
	ERGO 2000 STANDARD W. HOSE SWIVEL	106403122	1	•	•
<b>Tornado Lance</b>					
	TORNADO PLUS 1120 BEND W/O NOZZLE	106403010	1	•	•
<b>Tornado Nozzle with Indication Ring</b>					
	NOZZLE 0500 INDICATION RING YELLOW	101119741	1	•	•
	NOZZLE 0550 INDICATION RING NEONGREEN	101119743	1	•	

## High cleaning performance and heating effect combined with long lifetime and robustness

Model	MH 5M-190/960 400/3/50 EU	MH 5M-190/960 X 400/3/50 EU	MH 5M-210/1110 400/3/50 EU
Ref. no.	107146650	107146651	107146653

## PRODUCT FEATURES

## Single-phase

Three phase	•	•	•
EcoPower boiler-high efficiency	•	•	•
SilentPower - 1450 rpm motor	•	•	•
QuickService - innovative concept	•	•	•
Ergo accessory system	•	•	•
Hose reel		•	
Robust steel chassis and frame	•	•	•
Pump oil warning system	•	•	•
Service indicator	•	•	•
Anti calc indicator	•	•	•
2-motor system	•	•	•
Automatic on/off and delayed action	•	•	•
NA5 - 3 ceramic piston pump	•	•	•
Flow-activated control system	•	•	•
Flame sensor	•	•	•

Model	MH 5M-210/1110 X 400/3/50 EU	MH 5M-210/1110 230-400/3/50 NO	MH 5M-210/1110 X 230-400/3/50 NO
Ref. no.	107146654	107146655	107146656

## PRODUCT FEATURES

## Single-phase

Three phase	•	•	•
EcoPower boiler-high efficiency	•	•	•
SilentPower - 1450 rpm motor	•	•	•
QuickService - innovative concept	•	•	•
Ergo accessory system	•	•	•
Hose reel	•		•
Robust steel chassis and frame	•	•	•
Pump oil warning system	•	•	•
Service indicator	•	•	•
Anti calc indicator	•	•	•
2-motor system	•	•	•
Automatic on/off and delayed action	•	•	•
NA5 - 3 ceramic piston pump	•	•	•



## High cleaning performance and heating effect combined with long lifetime and robustness

Model	MH 5M-210/1110 X 400/3/50 EU	MH 5M-210/1110 230-400/3/50 NO	MH 5M-210/1110 X 230-400/3/50 NO
-------	---------------------------------	-----------------------------------	-------------------------------------

Ref. no.	107146654	107146655	107146656
----------	-----------	-----------	-----------

## PRODUCT FEATURES

Flow-activated control system	•	•	•
Flame sensor	•	•	•

Model	MH 5M-210/1110 220-440/3/60 EXPT	MH 5M-170/910 200/3/50 JP	MH 5M-170/910 200/3/60 JP
-------	-------------------------------------	------------------------------	------------------------------

Ref. no.	107146657	107146660	107146661
----------	-----------	-----------	-----------

## PRODUCT FEATURES

Single-phase			
Three phase	•	•	•
EcoPower boiler-high efficiency	•	•	•
SilentPower - 1450 rpm motor	•	•	•
QuickService - innovative concept	•	•	•
Ergo accessory system	•	•	•
Hose reel			
Robust steel chassis and frame	•	•	•
Pump oil warning system	•	•	•
Service indicator	•	•	•
Anti calc indicator	•	•	•
2-motor system	•	•	•
Automatic on/off and delayed action	•	•	•
NA5 - 3 ceramic piston pump	•	•	•
Flow-activated control system	•	•	•
Flame sensor	•	•	•

Technical specifications	MH 5M-190/960 400/3/50 EU	MH 5M-190/960 X 400/3/50 EU	MH 5M-210/1110 400/3/50 EU
Pump pressure (bar/MPa)	190/19	190/19	210/21
Cleaning impact (kg/force)	5.0	5.0	6.1
Pump (RPM)	1450	1450	1450
Power consumption (kW)	6.0	6.1	7.6
Voltage/phase/frequency/current (V/~/HZ/A)	400/3/50/12.2	400/3/50/12.2	400/3/50/15.4
Water flow Qmax/Qiec (l/h)	960/900	960/900	1110/1050
Water temperature (water/steam) (°C)	90/150	90/150	90/150
El cable (m)	5	5	5
Fuel consumption ΔT=45°C (kg/h)	3.9	3.9	4.6
Fuel tank (l)	35	35	35



## High cleaning performance and heating effect combined with long lifetime and robustness

Technical specifications	MH 5M-190/960 400/3/50 EU	MH 5M-190/960 X 400/3/50 EU	MH 5M-210/1110 400/3/50 EU
Detergent tank (l)	A: 15 + B:10	A: 15 + B:10	A: 15 + B:10
Nozzle size	.0500	.0500	.0550
Ceramic pistons	3	3	3
Length x width x height (mm)	1190x702x987	1190x702x987	1190x702x987
Weight (kg)	160	165	160
Sound power level, re Directive 2000/14/EU (LwA)	93	93	96
Technical specifications	MH 5M-210/1110 X 400/3/50 EU	MH 5M-210/1110 230-400/3/50 NO	MH 5M-210/1110 X 230-400/3/50 NO
Pump pressure (bar/MPa)	210/21	210/21	210/21
Cleaning impact (kg/force)	6.1	6.1	6.1
Pump (RPM)	1450	1450	1450
Power consumption (kW)	7.8	7.6	7.8
Voltage/phase/frequency/current (V/~/HZ/A)	400/3/50/15.8	230-400/3/50/25-15.6	230-400/3/50/25-15.8
Water flow Qmax/Qiec (l/h)	1110/1050	1110/1050	1110/1050
Water temperature (water/steam) (°C)	90/150	90/150	90/150
El cable (m)	5	5	5
Fuel consumption ΔT=45°C (kg/h)	4.6	4.6	4.6
Fuel tank (l)	35	35	35
Detergent tank (l)	A: 15 + B:10	A: 15 + B:10	A: 15 + B:10
Nozzle size	.0550	.0550	.0550
Ceramic pistons	3	3	3
Length x width x height (mm)	1190x702x987	1190x702x987	1190x702x987
Weight (kg)	165	161	166
Sound power level, re Directive 2000/14/EU (LwA)	96	96	96
Technical specifications	MH 5M-210/1110 220-440/3/60 EXPT	MH 5M-170/910 200/3/50 JP	MH 5M-170/910 200/3/60 JP
Pump pressure (bar/MPa)	210/21	170/17	170/17
Cleaning impact (kg/force)	6.1	4.7	4.4
Pump (RPM)	1760	1450	1750
Power consumption (kW)	7.8	5.4	5.1
Voltage/phase/frequency/current (V/~/HZ/A)	440-220/3/60/21.8-12.5	200/3/50/18.9	200/3/60/16.6
Water flow Qmax/Qiec (l/h)	1110/1050	910/850	910/850
Water temperature (water/steam) (°C)	90/150	90/150	90/150
El cable (m)	5	5	5
Fuel consumption ΔT=45°C (kg/h)	4.6	3.9	3.9
Fuel tank (l)	35	35	35
Detergent tank (l)	A: 15 + B:10	A: 15 + B:10	A: 15 + B:10



## High cleaning performance and heating effect combined with long lifetime and robustness

Technical specifications	MH 5M-210/1110 220-440/3/60 EXPT	MH 5M-170/910 200/3/50 JP	MH 5M-170/910 200/3/60 JP
Nozzle size	.0550	.0500	.0500
Ceramic pistons	3	3	3
Length x width x height (mm)	1190x702x987	1190x702x987	1190x702x987
Weight (kg)	161	160	160
Sound power level, re Directive 2000/14/EU (LwA)	96	92	92

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories	Ref. no.	Min. required	MH 5M-190/960 400/3/50 EU	MH 5M-190/960 X 400/3/50 EU	MH 5M-210/1110 400/3/50 EU
<b>Special Nozzle</b>					
	CONTAINER CLEANING NOZZLE	15861	1	○	○
	NOZZLE FOR LONG LANCEJET 6-7 M	2802696	1	○	○
	NOZZLE PROTECTION CAP PA	18430	1	○	○
	VARIO-NOZZLE CASING 1/8	5888	1	○	○
<b>Hose and Connection</b>					
	NILFISK BA VALVE COMP. GARDENA	106411177	0	○	○
	NILFISK BA VALVE COMP. GEKA	106411179	0	○	○
	NILFISK BA VALVE COMP. NITO	106411178	0	○	○
	NILFISK BA VALVE WO COUPLER	106411184	0	○	○
	WATER INLET HOSE 3/4 P/	6465	1	○	○
<b>High Pressure Male Coupling</b>					



High cleaning performance and heating effect combined with long lifetime and robustness

Accessories		Ref. no.	Min. required	MH 5M-190/960 400/3/50 EU	MH 5M-190/960 X 400/3/50 EU	MH 5M-210/1110 400/3/50 EU
	ADAPTER KEW QUICK COUPLING MALE 3/8	66159	1	○	○	○
	ADAPTOR 3/8 INCH MALE FOR HOSE	6401067	1	○	○	○
	ADAPTOR KEW GUN TO WAP ACCESS.	66161	1	○	○	○
	GARDENA COUPLING HOSE END 1/2 BULK	1608629	1	○	○	○
	GEKA COUPLING HOSE END 3/4	1311	1	○	○	○
	LP NIPPLE F. Q.-COUPLING 3/4IN	1600659	1	○	○	○
	NITO COUPLING HOSE END 1	1604669	1	○	○	○
<b>High Pressure Female Coupling</b>						
	ADAPTER KEW QUICK COUPLING FEMALE 3/8	66160	1	○	○	○
	ADAPTER WAP GUN COUPLING FEMALE M21X1.5	66162	1	○	○	○
	COUPLING GEKA FEMALE - INT THREAD 3/4 IN	1718	1	○	○	○
	GARDENA MALE 3/4 INCH	32541	1	○	○	○

High cleaning performance and heating effect combined with long lifetime and robustness

Accessories		Ref. no.	Min. required	MH 5M-190/960 400/3/50 EU	MH 5M-190/960 X 400/3/50 EU	MH 5M-210/1110 400/3/50 EU
	HOSE NOZZLE 20R3/4	61369	1	•	•	•
	QUICK COUPLING 3/4 W/GASKET	1602945	1	○	○	○
<b>Standard Nozzle 25° 1/8" NPT</b>						
	HP NOZZLE 25050 1/8 INCH NPT	7813	1	○	○	
	HP NOZZLE 25055 1/8 INCH NPT	7814	1			○
<b>Abrasive Blasting</b>						
	ARMEX-POWDER	5218617	1	○	○	
	BORONCARBIDE FLAT NOZZLE VSB	6400379	1	○	○	○
	LANCE SOFTBLASTING W. NOZZLE 05	6401233	1	○	○	
	LANCE WITH RUBBER FLAT NOZZLE 05	6401364	1	○	○	
	LANCE WITH RUBBER FLAT NOZZLE 06	6401365	1			○
	NOZZLE FOR WSB - FLAT RUBBER 10 PC.	6402317	1	○	○	○
	SAND PLUGER AND HOSE VSB	6400375	1	○	○	
	SUPER BLAST 25KG	8379	1	○	○	
<b>Detergent</b>						



High cleaning performance and heating effect combined with long lifetime and robustness

	Accessories	Ref. no.	Min. required	MH 5M-190/960 400/3/50 EU	MH 5M-190/960 X 400/3/50 EU	MH 5M-210/1110 400/3/50 EU
	ALTO ACIDO 10 L	81204	1	○	○	○
	ALTO ACTIVE WAX 10 L	81177	1	○	○	○
	ALTO ALLOSIL 10 L	81237	1	○	○	○
	ALTO ANTI-STONE 10 L	80919	1	○	○	○
	ALTO COMBI ACTIVE 10L	81172	1	○	○	○
	ALTO INTENSIVE 10 L	81137	1	○	○	○
	ALTO J 25 MULTI 10 L	80923	1	○	○	○
	ALTO RIMTOP 10 L	80935	1	○	○	○
	ALTO SAPPHIRE 10 L	81180	1	○	○	○
	ALTO STONE-EX 10 L	81191	1	○	○	○
	ALTO SUPERPLUS 10 L	81170	1	○	○	○
	ALTO UNIVERSAL 10 L	80930	1	○	○	○



High cleaning performance and heating effect combined with long lifetime and robustness

Accessories		Ref. no.	Min. required	MH 5M-190/960 400/3/50 EU	MH 5M-190/960 X 400/3/50 EU	MH 5M-210/1110 400/3/50 EU
	ANTI-STONE SET-6X1 L	8466	1	○	○	○
	AUTO ACTIVE 10 L	81136	1	○	○	○
<b>Brush Washing</b>						
	BRUSH INSERT	10356	1	○	○	○
	WASH BRUSH - ERGO - UNIVERSAL LANCE	14202	1	○	○	○
	WASH BRUSH L1550 MM	6400088	1	○	○	○
	WASH BRUSH L2350 MM	6400087	1	○	○	○
<b>Standard Nozzle 0° 1/8" NPT</b>						
	HP-NOZZLE 0050 1/8	17387	1	○	○	
<b>Standard Nozzle 15° 1/8" NPT</b>						
	HP NOZZLE 15050 1/8	41394	1	○	○	
<b>External Control Unit</b>						
	COUNTER-H 24V50HZ 7ST.	42628	1	○	○	○
	REMOTE CONTROL 1X DETERGENT	301001355	1	○	○	○



High cleaning performance and heating effect combined with long lifetime and robustness

Accessories		Ref. no.	Min. required	MH 5M-190/960 400/3/50 EU	MH 5M-190/960 X 400/3/50 EU	MH 5M-210/1110 400/3/50 EU
	REMOTE CONTROL 2X DETERGENT	301001356	1	○	○	○
<b>Drain and Pipe Cleaning</b>						
	DRAIN CLEANER 05 20M HOSE	6401266	1	○	○	
	DRAIN CLEANER 06 20M HOSE	6401268	1			○
	DRAIN NOZZLE 05 3/8	2800084	1	○	○	
	DRAIN NOZZLE 06. 3/8	2800894	1			○
	HOSE DN10 10M W.05 DRAIN NOZZ.W.1/4 NIPP	6401265	1	○	○	
	PIPE CLEANING HOSE 4X10M	301002490	1	○	○	○
	PIPE CLEANING HOSE 4X20M	301002491	1	○	○	○
	PIPE CLEANING NOZZLE 1/8INC IG DN4	46921	1			
	PIPE CLEANING ROTATY NOZZLE 1/8INC IG DN	46918	1	○	○	○
<b>TurboHammer Nozzle</b>						
	NOZZLE TURBOHAMMER HEAD .0450 W11	48874	1			○



High cleaning performance and heating effect combined with long lifetime and robustness

Accessories		Ref. no.	Min. required	MH 5M-190/960 400/3/50 EU	MH 5M-190/960 X 400/3/50 EU	MH 5M-210/1110 400/3/50 EU
	NOZZLE TURBOMHAMMER HEAD .0550 W11	48875	1			○
	NOZZLE TURBOMHAMMER HEAD .0550 W12	49287	1			○
	TURBOMHAMMER NOZZLE W11 050	48872	1	○	○	
	TURBOMHAMMER NOZZLE W12 050	301001108	1	○	○	
<b>FlexoPower Lance</b>						
	FLEXOPOWER HOUSE F.NZ 1/8 OUTS. THREAD	63251	1	○	○	○
	FLEXOPOWER PLUS 960 BEND W/O NOZZLE	106402282	1	○	○	○
	FLEXOPOWER PLUS 990 BEND W/O NOZ.	106402281	1	○	○	○
<b>Filter Pressure Washer</b>						
	CARTRIDGE FILTER REPLACEM. 50 uM	1104041	1	○	○	○
	SAND FILTER 50 MICRON GEKA MH	106402200	1	○	○	○
	SAND FILTER 50MICRON UNIVERSAL	1604461	1	○	○	○
	WATER FILTER COMPLETE	107145802	0	○	○	○
<b>Non Blocking High Pressure Hose, DN10</b>						



High cleaning performance and heating effect combined with long lifetime and robustness

Accessories		Ref. no.	Min. required	MH 5M-190/960 400/3/50 EU	MH 5M-190/960 X 400/3/50 EU	MH 5M-210/1110 400/3/50 EU
	20 M 2 WIRE HOSE 3/8 FOOD	1401991	1	○	○	○
	25 M 2 WIRE HOSE 3/8 FOOD	1402007	1	○	○	○
	30 M 2 WIRE HOSE 3/8 FOOD	1402015	1	○	○	○
	HOSE DN10 10 M 2W 3/8X3/8 GRAU-FOOD	6101767	1	○	○	○
	HOSE DN10 15 M 2W 3/8X3/8 GRAY-FOOD	1401983	1	○	○	○

#### High Pressure Hose, DN10

	2 M 2 WIRE HOSE 3/8 DN10	1402924	1	○	○	○
	3 M 2 WIRE HOSE 3/8 DN10	1402932	1	○	○	○
	5 M 2 WIRE HOSE 3/8 DN10	1402940	1	○	○	○
	25 M 2 WIRE HOSE 3/8 DN10	1402080	1	○	○	○
	30 M 2 WIRE HOSE 3/8 DN10	1402098	1	○	○	○
	50 M 2 WIRE HOSE 3/8 DN10	1402759	1	○	○	○



High cleaning performance and heating effect combined with long lifetime and robustness

Accessories		Ref. no.	Min. required	MH 5M-190/960 400/3/50 EU	MH 5M-190/960 X 400/3/50 EU	MH 5M-210/1110 400/3/50 EU
	HOSE DN10 10 M 2W 3/8X3/8 INCH	6101766	1	○	○	○
	HP HOSE 3/8INCH 1M DN10. COMPL.	1402916	1	○	○	○
	HP HOSE DN10 150DEG L15000mm	1402064	1	○	○	○
	M 20 WIRE HOSE 3/8 DN10	1402072	1	○	○	○
<b>High Pressure Hose, DN8</b>						
	10 M 1 WIRE HOSE 5/16 DN8	1405569	1	○	○	○
	HOSE DN8 1 WIRE 10M W.ERGO FEMALE COUPL.	101405770	1	●	○	●
	HOSE DN8 1 WIRE 15M W.ERGO FEMALE COUPL.	301001100	1	○	○	○
	HOSE DN8 1 WIRE 20M W.ERGO FEMALE COUPL.	301001101	1	○	●	○
	HOSE DN8 20 M 1W - 3/8X3/8	1405666	1	○	○	○
<b>Ergo System Coupling and Adapter</b>						
	COUPLING - FEMALE/Q-COUP 3/8 INCH	106402075	1	○	○	○
	ERGO COUPLING KIT	101119496	1	●	●	●



High cleaning performance and heating effect combined with long lifetime and robustness

Accessories		Ref. no.	Min. required	MH 5M-190/960 400/3/50 EU	MH 5M-190/960 X 400/3/50 EU	MH 5M-210/1110 400/3/50 EU
	HIGH PRESSURE COUPLINGS KIT	101119499	1	○	○	○
	Nippel F. Q-COUPL. 3/8 INCH	1600493	1	○	○	○
	NIPPLE F/QUICK COULING 3/8 SS	1603101	1	○	○	○
	PACKING RING 23.8X17.2X2 3/8 INCH St-NBR	1801075	0	○	○	○
<b>High Pressure Hose, DN12</b>						
	10 M 2 WIRE HOSE 1/2 DN12	4810219	0	○	○	○
	20 M 2 WIRE HOSE 1/2 DN12	4810214	0	○	○	○
<b>Brush Rotary</b>						
	BRISTLE. LONG	6401431	1	○	○	○
	BRUSH HEAD - SHORT BRASS BRISTLE	6401433	1	○	○	○
	NYLON. BRISTLE FOR ROTARY	6401432	1	○	○	○
	ROTARY BRUSH 055 1700MM	6400019	1	○	○	○
	ROTARY BRUSH 055 L800 MM	6400018	1	○	○	○
<b>Hose Reel</b>						



High cleaning performance and heating effect combined with long lifetime and robustness

	Accessories	Ref. no.	Min. required	MH 5M-190/960 400/3/50 EU	MH 5M-190/960 X 400/3/50 EU	MH 5M-210/1110 400/3/50 EU
	CLEANING TROLLEY SS W/HOSE REEL FOAM IN	6401094	1	○	○	○
	HOSE CORD REEL SET	301001130	1	○	○	○
	HOSE REEL 20M SET	301001131	1	○	○	○
	HOSE REEL RETRACTABLE SS W/O HOSE	106403168	0	○		○
	HOSE TROLLEY UP TO 50 M 3/8	6400170	1	○	○	○
	HOSEREEL BLUE.PAINT RETRACTAB.W/20M HOSE	106403131	0	○		○
<b>Special Lance</b>						
	CURVED LANCE L1090 MM	6402016	1	○	○	○
	LANCE SINGLE 1500MM W/O NOZZLE	6401193	1	○	○	○
<b>Injector and Foam Sprayer</b>						
	BOTTLE FOR FOAM SPRAYER 2 L	106408164	0	○	○	○
	EXTENSION HOSE 30 CM WITH ERGO COUPLINGS	301001311	1	○	○	○
	FOAM INJECTOR AGGRESSIVE LQDS	6401245	1	○	○	○



High cleaning performance and heating effect combined with long lifetime and robustness

Accessories		Ref. no.	Min. required	MH 5M-190/960 400/3/50 EU	MH 5M-190/960 X 400/3/50 EU	MH 5M-210/1110 400/3/50 EU
	FOAM INJECTOR W BYPASS	6401242	1	○	○	○
	FOAM INJECTOR W BYPASS S. S	6401243	1	○	○	○
	FOAM INJECTOR STANDARD	6401244	1	○	○	○
	FOAM LANCE COMPLETE L600 MM	6404368	1	○	○	○
	FOAM LANCE COMPLETE L1200 MM	6404369	1	○	○	○
<b>Other</b>						
	CRANE LIFTING EYE	301001090	1	○	○	○
	EXHAUST PIPE 148X197	301001089	1	○	○	○
	WATER SUCTION KIT 300 L/MIN 06	6402018	1			○
<b>Liquid Sprayer</b>						
	LIQUID SPRAYER 5S	7110005	0	○	○	○
	LIQUID SPRAYER 10SP	7110010	0	○	○	○
	LIQUID SPRAYER 20S	7110020	0	○	○	○
<b>Spray Gun</b>						



High cleaning performance and heating effect combined with long lifetime and robustness

Accessories		Ref. no.	Min. required	MH 5M-190/960 400/3/50 EU	MH 5M-190/960 X 400/3/50 EU	MH 5M-210/1110 400/3/50 EU
	ERGO 2000 STANDARD W. HOSE SWIVEL	106403122	1	●	●	●
	REP. KIT SWIVEL JOINT	101119484	1	○	○	○
	SIDE BAR COMPL.	106402110	1	○	○	○
	SPRAY HANDLE W. SWIVEL LOCK	106402190	1	○	○	○
<b>Tornado Nozzle with Indication Ring</b>						
	NOZZLE 0500 INDICATION RING YELLOW	101119741	1	●	●	
	NOZZLE 0550 INDICATION RING NEONGREEN	101119743	1			●
	NOZZLE PROTECTION F. TORNADOL.	106402425	1	○	○	○
<b>Short Lance</b>						
	DOUBLE LANCE W/O NOZZLE 90MM	106402150	1	○	○	○
	SINGLE LANCE W/O NOZZLE 90MM	106402151	1	○	○	○
<b>TurboHammer Lance</b>						
	TURBOHAMMER PLUS 1125 STRAIGHT W11 0550	106402292	1			○
	TURBOHAMMER PLUS 1125 STRAIGHT W11 0500	106402291	1	○	○	
	TURBOHAMMER PLUS 1130 STRAIGHT W12 0500	106403003	1	○	○	
<b>Tornado Lance</b>						



High cleaning performance and heating effect combined with long lifetime and robustness

Accessories	Ref. no.	Min. required	MH 5M-190/960 400/3/50 EU	MH 5M-190/960 X 400/3/50 EU	MH 5M-210/1110 400/3/50 EU
 TORNADO PLUS 630 STRAIGHT W/O NOZZLE	106403013	1	○	○	○
 TORNADO PLUS 1000 BEND W/O NOZZLE	106403011	1	○	○	○
 TORNADO PLUS 1120 BEND W/O NOZZLE	106403010	1	●	●	●
 TORNADO PLUS 2080 BEND W/O NOZZLE	106403012	1	○	○	○
<b>PowerSpeed Vario Lance</b>					
 POWERSPEED VARIO PLUS 770 BEND 0500	106403023	1	○	○	
 POWERSPEED VARIO PLUS 1090 BEND 0500	106403093	1	○	○	
<b>Universal Lance</b>					
 UNIVERSAL PLUS 650 W/O NOZZLE STRAIGHT	106403032	1	○	○	○
 UNIVERSAL PLUS 1080 W/O NOZZ STRAIGHT	106403033	1	○	○	○
 UNIVERSAL PLUS 1560 W/O NOZZLE STRAIGHT	106403031	1	○	○	○
 UNIVERSAL PLUS 2060 W/O NOZZLE STRAIGHT	106403030	1	○	○	○
 UNIVERSAL PLUS LANCE 940 BEND W/O NOZZ	106403036	1	○	○	○



High cleaning performance and heating effect combined with long lifetime and robustness

Accessories		Ref. no.	Min. required	MH 5M-190/960 400/3/50 EU	MH 5M-190/960 X 400/3/50 EU	MH 5M-210/1110 400/3/50 EU
	UNIVERSAL PLUS LANCE 1080 BEND W/O NOZZL	106403035	1	○	○	○
	UNIVERSAL PLUS LANCE 1230 BEND W/O NOZZL	106403034	1	○	○	○
<b>Surface Cleaning Rotary</b>						
	HYDROSCRUB P300P	106403155	1	○	○	○
	HYDROSCRUB P400 W/O NOZZLES	106403157	0	○	○	○
	HYDROSCRUB P500M Ø500 W/WHEELS W/O NOZZL	106403159	0	○	○	○

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories		Ref. no.	Min. required	MH 5M-210/1110 X 400/3/50 EU	MH 5M-210/1110 230-400/3/50 NO	MH 5M-210/1110 X 230-400/3/50 NO
<b>Special Nozzle</b>						
	CONTAINER CLEANING NOZZLE	15861	1	○	○	○
	NOZZLE FOR LONG LANCEJET 6-7 M	2802696	1	○	○	○
	NOZZLE PROTECTION CAP PA	18430	1	○	○	○
	VARIO-NOZZLE CASING 1/8	5888	1	○	○	○
<b>Hose and Connection</b>						
	NILFISK BA VALVE COMP. GARDENA	106411177	0	○	○	○
	NILFISK BA VALVE COMP. GEKA	106411179	0	○	○	○



High cleaning performance and heating effect combined with long lifetime and robustness

Accessories		Ref. no.	Min. required	MH 5M-210/1110 X 400/3/50 EU	MH 5M-210/1110 230-400/3/50 NO	MH 5M-210/1110 X 230-400/3/50 NO
	NILFISK BA VALVE COMP. NITO	106411178	0	○	○	○
	NILFISK BA VALVE WO COUPLER	106411184	0	○	○	○
	WATER INLET HOSE 3/4 P/	6465	1	○	○	○
<b>High Pressure Male Coupling</b>						
	ADAPTER KEW QUICK COUPLING MALE 3/8	66159	1	○	○	○
	ADAPTOR 3/8 INCH MALE FOR HOSE	6401067	1	○	○	○
	ADAPTOR KEW GUN TO WAP ACCESS.	66161	1	○	○	○
	GARDENA COUPLING HOSE END 1/2 BULK	1608629	1	○	○	○
	GEKA COUPLING HOSE END 3/4	1311	1	○	○	○
	LP NIPPLE F. Q.-COUPLING 3/4IN	1600659	1	○	○	○
	NITO COUPLING HOSE END 1	1604669	1	○	○	○
<b>High Pressure Female Coupling</b>						
	ADAPTER KEW QUICK COUPLING FEMALE 3/8	66160	1	○	○	○



High cleaning performance and heating effect combined with long lifetime and robustness

Accessories		Ref. no.	Min. required	MH 5M-210/1110 X 400/3/50 EU	MH 5M-210/1110 230-400/3/50 NO	MH 5M-210/1110 X 230-400/3/50 NO
	ADAPTER WAP GUN COUPLING FEMALE M21X1.5	66162	1	○	○	○
	COUPLING GEKA FEMALE - INT THREAD 3/4 IN	1718	1	○	○	○
	GARDENA MALE 3/4 INCH	32541	1	○	○	○
	HOSE NOZZLE 20R3/4	61369	1	●	●	●
	QUICK COUPLING 3/4 W/GASKET	1602945	1	○	○	○
<b>Standard Nozzle 25° 1/8" NPT</b>						
	HP NOZZLE 25050 1/8 INCH NPT	7813	1			
	HP NOZZLE 25055 1/8 INCH NPT	7814	1	○	○	○
<b>Abrasive Blasting</b>						
	ARMEX-POWDER	5218617	1			
	BORONCARBIDE FLAT NOZZLE VSB	6400379	1	○	○	○
	LANCE SOFTBLASTING W. NOZZLE 05	6401233	1			
	LANCE WITH RUBBER FLAT NOZZLE 05	6401364	1			

High cleaning performance and heating effect combined with long lifetime and robustness

Accessories		Ref. no.	Min. required	MH 5M-210/1110 X 400/3/50 EU	MH 5M-210/1110 230-400/3/50 NO	MH 5M-210/1110 X 230-400/3/50 NO
	LANCE WITH RUBBER FLAT NOZZLE 06	6401365	1	○	○	○
	NOZZLE FOR WSB - FLAT RUBBER 10 PC.	6402317	1	○	○	○
	SAND PLUGER AND HOSE VSB	6400375	1			
	SUPER BLAST 25KG	8379	1			
<b>Detergent</b>						
	ALTO ACIDO 10 L	81204	1	○	○	○
	ALTO ACTIVE WAX 10 L	81177	1	○	○	○
	ALTO ALLOSIL 10 L	81237	1	○	○	○
	ALTO ANTI-STONE 10 L	80919	1	○	○	○
	ALTO COMBI ACTIVE 10L	81172	1	○	○	○
	ALTO INTENSIVE 10 L	81137	1	○	○	○
	ALTO J 25 MULTI 10 L	80923	1	○	○	○
	ALTO RIMTOP 10 L	80935	1	○	○	○



High cleaning performance and heating effect combined with long lifetime and robustness

Accessories		Ref. no.	Min. required	MH 5M-210/1110 X 400/3/50 EU	MH 5M-210/1110 230-400/3/50 NO	MH 5M-210/1110 X 230-400/3/50 NO
	ALTO SAPPHIRE 10 L	81180	1	○	○	○
	ALTO STONE-EX 10 L	81191	1	○	○	○
	ALTO SUPERPLUS 10 L	81170	1	○	○	○
	ALTO UNIVERSAL 10 L	80930	1	○	○	○
	ANTI-STONE SET-6X1 L	8466	1	○	○	○
	AUTO ACTIVE 10 L	81136	1	○	○	○
<b>Brush Washing</b>						
	BRUSH INSERT	10356	1	○	○	○
	WASH BRUSH - ERGO - UNIVERSAL LANCE	14202	1	○	○	○
	WASH BRUSH L1550 MM	6400088	1	○	○	○
	WASH BRUSH L2350 MM	6400087	1	○	○	○
<b>Standard Nozzle 0° 1/8" NPT</b>						
	HP-NOZZLE 0050 1/8	17387	1			



High cleaning performance and heating effect combined with long lifetime and robustness

Accessories	Ref. no.	Min. required	MH 5M-210/1110 X 400/3/50 EU	MH 5M-210/1110 230-400/3/50 NO	MH 5M-210/1110 X 230-400/3/50 NO
<b>Standard Nozzle 15° 1/8" NPT</b>					
	HP NOZZLE 15050 1/8	41394	1		
<b>External Control Unit</b>					
	COUNTER-H 24V50HZ 7ST.	42628	1	○	○
	REMOTE CONTROL 1X DETERGENT	301001355	1	○	○
	REMOTE CONTROL 2X DETERGENT	301001356	1	○	○
<b>Drain and Pipe Cleaning</b>					
	DRAIN CLEANER 05 20M HOSE	6401266	1		
	DRAIN CLEANER 06 20M HOSE	6401268	1	○	○
	DRAIN NOZZLE 05 3/8	2800084	1		
	DRAIN NOZZLE 06. 3/8	2800894	1	○	○
	HOSE DN10 10M W.05 DRAIN NOZZ.W.1/4 NIPP	6401265	1		
	PIPE CLEANING HOSE 4X10M	301002490	1	○	○



High cleaning performance and heating effect combined with long lifetime and robustness

Accessories		Ref. no.	Min. required	MH 5M-210/1110 X 400/3/50 EU	MH 5M-210/1110 230-400/3/50 NO	MH 5M-210/1110 X 230-400/3/50 NO
	PIPE CLEANING HOSE 4X20M	301002491	1	○	○	○
	PIPE CLEANING NOZZLE 1/8INC IG DN4	46921	1			
	PIPE CLEANING ROTATY NOZZLE 1/8INC IG DN	46918	1			
<b>TurboHammer Nozzle</b>						
	NOZZLE TURBOHAMMER HEAD .0450 W11	48874	1	○	○	○
	NOZZLE TURBOHAMMER HEAD .0550 W11	48875	1	○	○	○
	NOZZLE TURBOHAMMER HEAD .0550 W12	49287	1	○	○	○
	TURBOHAMMER NOZZLE W11 050	48872	1			
	TURBOHAMMER NOZZLE W12 050	301001108	1			
<b>FlexoPower Lance</b>						
	FLEXOPOWER HOUSE F.NZ 1/8 OUTS. THREAD	63251	1	○	○	○
	FLEXOPOWER PLUS 960 BEND W/O NOZZLE	106402282	1	○	○	○
	FLEXOPOWER PLUS 990 BEND W/O NOZ.	106402281	1	○	○	○



High cleaning performance and heating effect combined with long lifetime and robustness

Accessories	Ref. no.	Min. required	MH 5M-210/1110 X 400/3/50 EU	MH 5M-210/1110 230-400/3/50 NO	MH 5M-210/1110 X 230-400/3/50 NO
<b>Filter Pressure Washer</b>					
	CARTRIDGE FILTER REPLACEM. 50 uM	1104041	1	○	○
	SAND FILTER 50 MICRON GEKA MH	106402200	1	○	○
	SAND FILTER 50MICRON UNIVERSAL	1604461	1	○	○
	WATER FILTER COMPLETE	107145802	0	○	○
<b>Non Blacking High Pressure Hose, DN10</b>					
	20 M 2 WIRE HOSE 3/8 FOOD	1401991	1	○	○
	25 M 2 WIRE HOSE 3/8 FOOD	1402007	1	○	○
	30 M 2 WIRE HOSE 3/8 FOOD	1402015	1	○	○
	HOSE DN10 10 M 2W 3/8X3/8 GRAU-FOOD	6101767	1	○	○
	HOSE DN10 15 M 2W 3/8X3/8 GRAY-FOOD	1401983	1	○	○
<b>High Pressure Hose, DN10</b>					
	2 M 2 WIRE HOSE 3/8 DN10	1402924	1	○	○
	3 M 2 WIRE HOSE 3/8 DN10	1402932	1	○	○



High cleaning performance and heating effect combined with long lifetime and robustness

	Accessories	Ref. no.	Min. required	MH 5M-210/1110 X 400/3/50 EU	MH 5M-210/1110 230-400/3/50 NO	MH 5M-210/1110 X 230-400/3/50 NO
	5 M 2 WIRE HOSE 3/8 DN10	1402940	1	○	○	○
	25 M 2 WIRE HOSE 3/8 DN10	1402080	1	○	○	○
	30 M 2 WIRE HOSE 3/8 DN10	1402098	1	○	○	○
	50 M 2 WIRE HOSE 3/8 DN10	1402759	1	○	○	○
	HOSE DN10 10 M 2W 3/8X3/8 INCH	6101766	1	○	○	○
	HP HOSE 3/8INCH 1M DN10. COMPL.	1402916	1	○	○	○
	HP HOSE DN10 150DEG L15000mm	1402064	1	○	○	○
	M 20 WIRE HOSE 3/8 DN10	1402072	1	○	○	○
<b>High Pressure Hose, DN8</b>						
	10 M 1 WIRE HOSE 5/16 DN8	1405569	1	○	○	○
	HOSE DN8 1 WIRE 10M W.ERGO FEMALE COUPL.	101405770	1	○	●	○
	HOSE DN8 1 WIRE 15M W.ERGO FEMALE COUPL.	301001100	1	○	○	○



High cleaning performance and heating effect combined with long lifetime and robustness

Accessories		Ref. no.	Min. required	MH 5M-210/1110 X 400/3/50 EU	MH 5M-210/1110 230-400/3/50 NO	MH 5M-210/1110 X 230-400/3/50 NO
	HOSE DN8 1 WIRE 20M W.ERGO FEMALE COUPL.	301001101	1	●	○	●
	HOSE DN8 20 M 1W - 3/8X3/8	1405666	1	○	○	○
<b>Ergo System Coupling and Adapter</b>						
	COUPLING - FEMALE/Q-COUP 3/8 INCH	106402075	1	○	○	○
	ERGO COUPLING KIT	101119496	1	●	●	●
	HIGH PRESSURE COUPLINGS KIT	101119499	1	○	○	○
	Nippel F. Q-COUPL. 3/8 INCH	1600493	1	○	○	○
	NIPPLE F/QUICK COULING 3/8 SS	1603101	1	○	○	○
	PACKING RING 23.8X17.2X2 3/8 INCH St-NBR	1801075	0	○	○	○
<b>High Pressure Hose, DN12</b>						
	10 M 2 WIRE HOSE 1/2 DN12	4810219	0	○	○	○
	20 M 2 WIRE HOSE 1/2 DN12	4810214	0	○	○	○
<b>Brush Rotary</b>						
	BRISTLE. LONG	6401431	1	○	○	○



High cleaning performance and heating effect combined with long lifetime and robustness

Accessories		Ref. no.	Min. required	MH 5M-210/1110 X 400/3/50 EU	MH 5M-210/1110 230-400/3/50 NO	MH 5M-210/1110 X 230-400/3/50 NO
	BRUSH HEAD - SHORT BRASS BRISTLE	6401433	1	○	○	○
	NYLON. BRISTLE FOR ROTARY	6401432	1	○	○	○
	ROTARY BRUSH 055 1700MM	6400019	1	○	○	○
	ROTARY BRUSH 055 L800 MM	6400018	1	○	○	○
<b>Hose Reel</b>						
	CLEANING TROLLEY SS W/HOSE REEL FOAM IN	6401094	1	○	○	○
	HOSE CORD REEL SET	301001130	1	○	○	○
	HOSE REEL 20M SET	301001131	1	○	○	○
	HOSE REEL RETRACTABLE SS W/O HOSE	106403168	0		○	
	HOSE TROLLEY UP TO 50 M 3/8	6400170	1	○	○	○
	HOSEREEL BLUE.PAINT RETRACTAB.W/20M HOSE	106403131	0		○	
<b>Special Lance</b>						
	CURVED LANCE L1090 MM	6402016	1	○	○	○



High cleaning performance and heating effect combined with long lifetime and robustness

Accessories		Ref. no.	Min. required	MH 5M-210/1110 X 400/3/50 EU	MH 5M-210/1110 230-400/3/50 NO	MH 5M-210/1110 X 230-400/3/50 NO
	LANCE SINGLE 1500MM W/O NOZZLE	6401193	1	○	○	○
<b>Injector and Foam Sprayer</b>						
	BOTTLE FOR FOAM SPRAYER 2 L	106408164	0	○	○	○
	EXTENSION HOSE 30 CM WITH ERGO COUPLINGS	301001311	1	○	○	○
	FOAM INJECTOR AGGRESSIVE LQDS	6401245	1	○	○	○
	FOAM INJECTOR W BYPASS	6401242	1	○	○	○
	FOAM INJECTOR W BYPASS S. S	6401243	1	○	○	○
	FOAM INJECTOR STANDARD	6401244	1	○	○	○
	FOAM LANCE COMPLETE L600 MM	6404368	1	○	○	○
	FOAM LANCE COMPLETE L1200 MM	6404369	1	○	○	○
<b>Other</b>						
	CRANE LIFTING EYE	301001090	1	○	○	○
	EXHAUST PIPE 148X197	301001089	1	○	○	○



High cleaning performance and heating effect combined with long lifetime and robustness

Accessories		Ref. no.	Min. required	MH 5M-210/1110 X 400/3/50 EU	MH 5M-210/1110 230-400/3/50 NO	MH 5M-210/1110 X 230-400/3/50 NO
	WATER SUCTION KIT 300 L/MIN 06	6402018	1	○	○	○
<b>Liquid Sprayer</b>						
	LIQUID SPRAYER 5S	7110005	0	○	○	○
	LIQUID SPRAYER 10SP	7110010	0	○	○	○
	LIQUID SPRAYER 20S	7110020	0	○	○	○
<b>Spray Gun</b>						
	ERGO 2000 STANDARD W. HOSE SWIVEL	106403122	1	●	●	●
	REP. KIT SWIVEL JOINT	101119484	1	○	○	○
	SIDE BAR COMPL.	106402110	1	○	○	○
	SPRAY HANDLE W. SWIVEL LOCK	106402190	1	○	○	○
<b>Tornado Nozzle with Indication Ring</b>						
	NOZZLE 0500 INDICATION RING YELLOW	101119741	1			
	NOZZLE 0550 INDICATION RING NEONGREEN	101119743	1	●	●	●

High cleaning performance and heating effect combined with long lifetime and robustness

Accessories		Ref. no.	Min. required	MH 5M-210/1110 X 400/3/50 EU	MH 5M-210/1110 230-400/3/50 NO	MH 5M-210/1110 X 230-400/3/50 NO
	NOZZLE PROTECTION F. TORNADOL.	106402425	1	○	○	○
<b>Short Lance</b>						
	DOUBLE LANCE W/O NOZZLE 90MM	106402150	1	○	○	○
	SINGLE LANCE W/O NOZZLE 90MM	106402151	1	○	○	○
<b>TurboHammer Lance</b>						
	TURBOHAMMER PLUS 1125 STRAIGHT W11 0550	106402292	1	○	○	○
	TURBOHAMMER PLUS 1125 STRAIGHT W11 0500	106402291	1			
	TURBOHAMMER PLUS 1130 STRAIGHT W12 0500	106403003	1			
<b>Tornado Lance</b>						
	TORNADO PLUS 630 STRAIGHT W/O NOZZLE	106403013	1	○	○	○
	TORNADO PLUS 1000 BEND W/O NOZZLE	106403011	1	○	○	○
	TORNADO PLUS 1120 BEND W/O NOZZLE	106403010	1	●	●	●
	TORNADO PLUS 2080 BEND W/O NOZZLE	106403012	1	○	○	○
<b>PowerSpeed Vario Lance</b>						
	POWERSPEED VARIO PLUS 770 BEND 0500	106403023	1			
	POWERSPEED VARIO PLUS 1090 BEND 0500	106403093	1			
<b>Universal Lance</b>						



High cleaning performance and heating effect combined with long lifetime and robustness

Accessories		Ref. no.	Min. required	MH 5M-210/1110 X 400/3/50 EU	MH 5M-210/1110 230-400/3/50 NO	MH 5M-210/1110 X 230-400/3/50 NO
	UNIVERSAL PLUS 650 W/O NOZZLE STRAIGHT	106403032	1	○	○	○
	UNIVERSAL PLUS 1080 W/O NOZZ STRAIGHT	106403033	1	○	○	○
	UNIVERSAL PLUS 1560 W/O NOZZLE STRAIGHT	106403031	1	○	○	○
	UNIVERSAL PLUS 2060 W/O NOZZLE STRAIGHT	106403030	1	○	○	○
	UNIVERSAL PLUS LANCE 940 BEND W/O NOZZ	106403036	1	○	○	○
	UNIVERSAL PLUS LANCE 1080 BEND W/O NOZZ	106403035	1	○	○	○
	UNIVERSAL PLUS LANCE 1230 BEND W/O NOZZL	106403034	1	○	○	○
<b>Surface Cleaning Rotary</b>						
	HYDROSCRUB P300P	106403155	1	○	○	○
	HYDROSCRUB P400 W/O NOZZLES	106403157	0	○	○	○
	HYDROSCRUB P500M Ø500 W/WHEELS W/O NOZZL	106403159	0	○	○	○

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories		Ref. no.	Min. required	MH 5M-210/1110 220-440/3/60 EXPT	MH 5M-170/910 200/3/50 JP	MH 5M-170/910 200/3/60 JP
<b>Special Nozzle</b>						
	CONTAINER CLEANING NOZZLE	15861	1	○	○	○



High cleaning performance and heating effect combined with long lifetime and robustness

Accessories		Ref. no.	Min. required	MH 5M-210/1110 220-440/3/60 EXPT	MH 5M-170/910 200/3/50 JP	MH 5M-170/910 200/3/60 JP
	NOZZLE FOR LONG LANCEJET 6-7 M	2802696	1	○	○	○
	NOZZLE PROTECTION CAP PA	18430	1	○	○	○
	VARIO-NOZZLE CASING 1/8	5888	1	○	○	○
<b>Hose and Connection</b>						
	NILFISK BA VALVE COMP. GARDENA	106411177	0	○	○	○
	NILFISK BA VALVE COMP. GEKA	106411179	0	○	○	○
	NILFISK BA VALVE COMP. NITO	106411178	0	○	○	○
	NILFISK BA VALVE WO COUPLER	106411184	0	○	○	○
	WATER INLET HOSE 3/4 P/	6465	1	○	○	○
<b>High Pressure Male Coupling</b>						
	ADAPTER KEW QUICK COUPLING MALE 3/8	66159	1	○	○	○
	ADAPTOR 3/8 INCH MALE FOR HOSE	6401067	1	○	○	○
	ADAPTOR KEW GUN TO WAP ACCESS.	66161	1	○	○	○
	GARDENA COUPLING HOSE END 1/2 BULK	1608629	1	○	○	○



High cleaning performance and heating effect combined with long lifetime and robustness

Accessories		Ref. no.	Min. required	MH 5M-210/1110 220-440/3/60 EXPT	MH 5M-170/910 200/3/50 JP	MH 5M-170/910 200/3/60 JP
	GEKA COUPLING HOSE END 3/4	1311	1	○	○	○
	LP NIPPLE F. Q.-COUPLING 3/4IN	1600659	1	○	●	●
	NITO COUPLING HOSE END 1	1604669	1	○	○	○
<b>High Pressure Female Coupling</b>						
	ADAPTER KEW QUICK COUPLING FEMALE 3/8	66160	1	○	○	○
	ADAPTER WAP GUN COUPLING FEMALE M21X1.5	66162	1	○	○	○
	COUPLING GEKA FEMALE - INT THREAD 3/4 IN	1718	1	○	○	○
	GARDENA MALE 3/4 INCH	32541	1	○	○	○
	HOSE NOZZLE 20R3/4	61369	1	●	○	○
	QUICK COUPLING 3/4 W/GASKET	1602945	1	○	●	●
<b>Standard Nozzle 25° 1/8" NPT</b>						
	HP NOZZLE 25050 1/8 INCH NPT	7813	1		○	○
	HP NOZZLE 25055 1/8 INCH NPT	7814	1	○		
<b>Abrasive Blasting</b>						



High cleaning performance and heating effect combined with long lifetime and robustness

Accessories		Ref. no.	Min. required	MH 5M-210/1110 220-440/3/60 EXPT	MH 5M-170/910 200/3/50 JP	MH 5M-170/910 200/3/60 JP
	ARMEX-POWDER	5218617	1		○	○
	BORONCARBIDE FLAT NOZZLE VSB	6400379	1	○	○	○
	LANCE SOFTBLASTING W. NOZZLE 05	6401233	1		○	○
	LANCE WITH RUBBER FLAT NOZZLE 05	6401364	1		○	○
	LANCE WITH RUBBER FLAT NOZZLE 06	6401365	1	○		
	NOZZLE FOR WSB - FLAT RUBBER 10 PC.	6402317	1	○	○	○
	SAND PLUGER AND HOSE VSB	6400375	1		○	○
	SUPER BLAST 25KG	8379	1		○	○
<b>Detergent</b>						
	ALTO ACIDO 10 L	81204	1	○	○	○
	ALTO ACTIVE WAX 10 L	81177	1	○	○	○
	ALTO ALLOSIL 10 L	81237	1	○	○	○
	ALTO ANTI-STONE 10 L	80919	1	○	○	○
	ALTO COMBI ACTIVE 10L	81172	1	○	○	○



High cleaning performance and heating effect combined with long lifetime and robustness

Accessories		Ref. no.	Min. required	MH 5M-210/1110 220-440/3/60 EXPT	MH 5M-170/910 200/3/50 JP	MH 5M-170/910 200/3/60 JP
	ALTO INTENSIVE 10 L	81137	1	○	○	○
	ALTO J 25 MULTI 10 L	80923	1	○	○	○
	ALTO RIMTOP 10 L	80935	1	○	○	○
	ALTO SAPPHIRE 10 L	81180	1	○	○	○
	ALTO STONE-EX 10 L	81191	1	○	○	○
	ALTO SUPERPLUS 10 L	81170	1	○	○	○
	ALTO UNIVERSAL 10 L	80930	1	○	○	○
	ANTI-STONE SET-6X1 L	8466	1	○	○	○
	AUTO ACTIVE 10 L	81136	1	○	○	○
<b>Brush Washing</b>						
	BRUSH INSERT	10356	1	○	○	○
	WASH BRUSH - ERGO - UNIVERSAL LANCE	14202	1	○	○	○



High cleaning performance and heating effect combined with long lifetime and robustness

Accessories		Ref. no.	Min. required	MH 5M-210/1110 220-440/3/60 EXPT	MH 5M-170/910 200/3/50 JP	MH 5M-170/910 200/3/60 JP
	WASH BRUSH L1550 MM	6400088	1	○	○	○
	WASH BRUSH L2350 MM	6400087	1	○	○	○
<b>Standard Nozzle 0° 1/8" NPT</b>						
	HP-NOZZLE 0050 1/8	17387	1		○	○
<b>Standard Nozzle 15° 1/8" NPT</b>						
	HP NOZZLE 15050 1/8	41394	1		○	○
<b>External Control Unit</b>						
	COUNTER-H 24V50HZ 7ST.	42628	1	○	○	○
	REMOTE CONTROL 1X DETERGENT	301001355	1	○	○	○
	REMOTE CONTROL 2X DETERGENT	301001356	1	○	○	○
<b>Drain and Pipe Cleaning</b>						
	DRAIN CLEANER 05 20M HOSE	6401266	1		○	○
	DRAIN CLEANER 06 20M HOSE	6401268	1	○		
	DRAIN NOZZLE 05 3/8	2800084	1		○	○

High cleaning performance and heating effect combined with long lifetime and robustness

Accessories		Ref. no.	Min. required	MH 5M-210/1110 220-440/3/60 EXPT	MH 5M-170/910 200/3/50 JP	MH 5M-170/910 200/3/60 JP
	DRAIN NOZZLE 06. 3/8	2800894	1	○		
	HOSE DN10 10M W.05 DRAIN NOZZ.W.1/4 NIPP	6401265	1		○	○
	PIPE CLEANING HOSE 4X10M	301002490	1	○	○	○
	PIPE CLEANING HOSE 4X20M	301002491	1	○	○	○
	PIPE CLEANING NOZZLE 1/8INC IG DN4	46921	1		○	○
	PIPE CLEANING ROTATY NOZZLE 1/8INC IG DN	46918	1		○	○
<b>TurboHammer Nozzle</b>						
	NOZZLE TURBOHAMMER HEAD .0450 W11	48874	1	○		
	NOZZLE TURBOHAMMER HEAD .0550 W11	48875	1	○		
	NOZZLE TURBOHAMMER HEAD .0550 W12	49287	1	○		
	TURBOHAMMER NOZZLE W11 050	48872	1		○	○
	TURBOHAMMER NOZZLE W12 050	301001108	1		○	○
<b>FlexoPower Lance</b>						



High cleaning performance and heating effect combined with long lifetime and robustness

Accessories		Ref. no.	Min. required	MH 5M-210/1110 220-440/3/60 EXPT	MH 5M-170/910 200/3/50 JP	MH 5M-170/910 200/3/60 JP
	FLEXOPOWER HOUSE F.NZ 1/8 OUTS. THREAD	63251	1	○	○	○
	FLEXOPOWER PLUS 960 BEND W/O NOZZLE	106402282	1	○	○	○
	FLEXOPOWER PLUS 990 BEND W/O NOZ.	106402281	1	○	○	○
<b>Filter Pressure Washer</b>						
	CARTRIDGE FILTER REPLACEM. 50 uM	1104041	1	○	○	○
	SAND FILTER 50 MICRON GEKA MH	106402200	1	○	○	○
	SAND FILTER 50MICRON UNIVERSAL	1604461	1	○	○	○
	WATER FILTER COMPLETE	107145802	0	○	○	○
<b>Non Blacking High Pressure Hose, DN10</b>						
	20 M 2 WIRE HOSE 3/8 FOOD	1401991	1	○	○	○
	25 M 2 WIRE HOSE 3/8 FOOD	1402007	1	○	○	○
	30 M 2 WIRE HOSE 3/8 FOOD	1402015	1	○	○	○
	HOSE DN10 10 M 2W 3/8X3/8 GRAU-FOOD	6101767	1	○	○	○
	HOSE DN10 15 M 2W 3/8X3/8 GRAY-FOOD	1401983	1	○	○	○



High cleaning performance and heating effect combined with long lifetime and robustness

Accessories	Ref. no.	Min. required	MH 5M-210/1110 220-440/3/60 EXPT	MH 5M-170/910 200/3/50 JP	MH 5M-170/910 200/3/60 JP
<b>High Pressure Hose, DN10</b>					
	2 M 2 WIRE HOSE 3/8 DN10	1402924	1	○	○
	3 M 2 WIRE HOSE 3/8 DN10	1402932	1	○	○
	5 M 2 WIRE HOSE 3/8 DN10	1402940	1	○	○
	25 M 2 WIRE HOSE 3/8 DN10	1402080	1	○	○
	30 M 2 WIRE HOSE 3/8 DN10	1402098	1	○	○
	50 M 2 WIRE HOSE 3/8 DN10	1402759	1	○	○
	HOSE DN10 10 M 2W 3/8X3/8 INCH	6101766	1	○	○
	HP HOSE 3/8INCH 1M DN10. COMPL.	1402916	1	○	○
	HP HOSE DN10 150DEG L15000mm	1402064	1	○	○
	M 20 WIRE HOSE 3/8 DN10	1402072	1	○	○
<b>High Pressure Hose, DN8</b>					
	10 M 1 WIRE HOSE 5/16 DN8	1405569	1	○	○



High cleaning performance and heating effect combined with long lifetime and robustness

Accessories		Ref. no.	Min. required	MH 5M-210/1110 220-440/3/60 EXPT	MH 5M-170/910 200/3/50 JP	MH 5M-170/910 200/3/60 JP
	HOSE DN8 1 WIRE 10M W.ERGO FEMALE COUPL.	101405770	1	●	●	○
	HOSE DN8 1 WIRE 15M W.ERGO FEMALE COUPL.	301001100	1	○	○	○
	HOSE DN8 1 WIRE 20M W.ERGO FEMALE COUPL.	301001101	1	○	○	○
	HOSE DN8 20 M 1W - 3/8X3/8	1405666	1	○	○	○
<b>Ergo System Coupling and Adapter</b>						
	COUPLING - FEMALE/Q-COUP 3/8 INCH	106402075	1	○	○	○
	ERGO COUPLING KIT	101119496	1	●	●	●
	HIGH PRESSURE COUPLINGS KIT	101119499	1	○	○	○
	Nippel F. Q-COUPL. 3/8 INCH	1600493	1	○	○	○
	NIPPLE F/QUICK COULING 3/8 SS	1603101	1	○	○	○
	PACKING RING 23.8X17.2X2 3/8 INCH St-NBR	1801075	0	○	○	○
<b>High Pressure Hose, DN12</b>						
	10 M 2 WIRE HOSE 1/2 DN12	4810219	0	○	○	○
	20 M 2 WIRE HOSE 1/2 DN12	4810214	0	○	○	○



High cleaning performance and heating effect combined with long lifetime and robustness

Accessories	Ref. no.	Min. required	MH 5M-210/1110 220-440/3/60 EXPT	MH 5M-170/910 200/3/50 JP	MH 5M-170/910 200/3/60 JP
<b>Brush Rotary</b>					
	BRISTLE. LONG	6401431	1	○	○
	BRUSH HEAD - SHORT BRASS BRISTLE	6401433	1	○	○
	NYLON. BRISTLE FOR ROTARY	6401432	1	○	○
	ROTARY BRUSH 055 1700MM	6400019	1	○	○
	ROTARY BRUSH 055 L800 MM	6400018	1	○	○
<b>Hose Reel</b>					
	CLEANING TROLLEY SS W/HOSE REEL FOAM IN	6401094	1	○	○
	HOSE CORD REEL SET	301001130	1	○	○
	HOSE REEL 20M SET	301001131	1	○	○
	HOSE REEL RETRACTABLE SS W/O HOSE	106403168	0	○	○
	HOSE TROLLEY UP TO 50 M 3/8	6400170	1	○	○
	HOSEREEL BLUE.PAINT RETRACTAB.W/20M HOSE	106403131	0	○	○
<b>Special Lance</b>					



High cleaning performance and heating effect combined with long lifetime and robustness

Accessories	Ref. no.	Min. required	MH 5M-210/1110 220-440/3/60 EXPT	MH 5M-170/910 200/3/50 JP	MH 5M-170/910 200/3/60 JP
 CURVED LANCE L1090 MM	6402016	1	○	○	○
 LANCE SINGLE 1500MM W/O NOZZLE	6401193	1	○	○	○
<b>Injector and Foam Sprayer</b>					
 BOTTLE FOR FOAM SPRAYER 2 L	106408164	0	○	○	○
 EXTENSION HOSE 30 CM WITH ERGO COUPLINGS	301001311	1	○	○	○
 FOAM INJECTOR AGGRESSIVE LQDS	6401245	1	○	○	○
 FOAM INJECTOR W BYPASS	6401242	1	○	○	○
 FOAM INJECTOR W BYPASS S. S	6401243	1	○	○	○
 FOAM INJECTOR STANDARD	6401244	1	○	○	○
 FOAM LANCE COMPLETE L600 MM	6404368	1	○	○	○
 FOAM LANCE COMPLETE L1200 MM	6404369	1	○	○	○
<b>Other</b>					
 CRANE LIFTING EYE	301001090	1	○	○	○



High cleaning performance and heating effect combined with long lifetime and robustness

Accessories		Ref. no.	Min. required	MH 5M-210/1110 220-440/3/60 EXPT	MH 5M-170/910 200/3/50 JP	MH 5M-170/910 200/3/60 JP
	EXHAUST PIPE 148X197	301001089	1	○	○	○
	WATER SUCTION KIT 300 L/MIN 06	6402018	1	○		
<b>Liquid Sprayer</b>						
	LIQUID SPRAYER 5S	7110005	0	○	○	○
	LIQUID SPRAYER 10SP	7110010	0	○	○	○
	LIQUID SPRAYER 20S	7110020	0	○	○	○
<b>Spray Gun</b>						
	ERGO 2000 STANDARD W. HOSE SWIVEL	106403122	1	●	●	●
	REP. KIT SWIVEL JOINT	101119484	1	○	○	○
	SIDE BAR COMPL.	106402110	1	○	○	○
	SPRAY HANDLE W. SWIVEL LOCK	106402190	1	○	○	○
<b>Tornado Nozzle with Indication Ring</b>						
	NOZZLE 0500 INDICATION RING YELLOW	101119741	1		●	●
	NOZZLE 0550 INDICATION RING NEONGREEN	101119743	1	●		



High cleaning performance and heating effect combined with long lifetime and robustness

Accessories		Ref. no.	Min. required	MH 5M-210/1110 220-440/3/60 EXPT	MH 5M-170/910 200/3/50 JP	MH 5M-170/910 200/3/60 JP
	NOZZLE PROTECTION F. TORNADOL.	106402425	1	○	○	○
<b>Short Lance</b>						
	DOUBLE LANCE W/O NOZZLE 90MM	106402150	1	○	○	○
	SINGLE LANCE W/O NOZZLE 90MM	106402151	1	○	○	○
<b>TurboHammer Lance</b>						
	TURBOHAMMER PLUS 1125 STRAIGHT W11 0550	106402292	1	○		
	TURBOHAMMER PLUS 1125 STRAIGHT W11 0500	106402291	1		○	○
	TURBOHAMMER PLUS 1130 STRAIGHT W12 0500	106403003	1		○	○
<b>Tornado Lance</b>						
	TORNADO PLUS 630 STRAIGHT W/O NOZZLE	106403013	1	○	○	○
	TORNADO PLUS 1000 BEND W/O NOZZLE	106403011	1	○	○	○
	TORNADO PLUS 1120 BEND W/O NOZZLE	106403010	1	●	●	●
	TORNADO PLUS 2080 BEND W/O NOZZLE	106403012	1	○	○	○
<b>PowerSpeed Vario Lance</b>						
	POWERSPEED VARIO PLUS 770 BEND 0500	106403023	1		○	○
	POWERSPEED VARIO PLUS 1090 BEND 0500	106403093	1		○	○
<b>Universal Lance</b>						



High cleaning performance and heating effect combined with long lifetime and robustness

	Accessories	Ref. no.	Min. required	MH 5M-210/1110 220-440/3/60 EXPT	MH 5M-170/910 200/3/50 JP	MH 5M-170/910 200/3/60 JP
	UNIVERSAL PLUS 650 W/O NOZZLE STRAIGHT	106403032	1	○	○	○
	UNIVERSAL PLUS 1080 W/O NOZZ STRAIGHT	106403033	1	○	○	○
	UNIVERSAL PLUS 1560 W/O NOZZLE STRAIGHT	106403031	1	○	○	○
	UNIVERSAL PLUS 2060 W/O NOZZLE STRAIGHT	106403030	1	○	○	○
	UNIVERSAL PLUS LANCE 940 BEND W/O NOZZ	106403036	1	○	○	○
	UNIVERSAL PLUS LANCE 1080 BEND W/O NOZZ	106403035	1	○	○	○
	UNIVERSAL PLUS LANCE 1230 BEND W/O NOZSL	106403034	1	○	○	○
<b>Surface Cleaning Rotary</b>						
	HYDROSCRUB P300P	106403155	1	○	○	○
	HYDROSCRUB P400 W/O NOZZLES	106403157	0	○	○	○
	HYDROSCRUB P500M Ø500 W/WHEELS W/O NOZZL	106403159	0	○	○	○

